












Product	CYMBAL CLEANER	CYMBAL MAINTAINER	CYMBAL PROTECTOR
Catalog Number	AC29221	AC29211	AC29231
Country of Origin	Switzerland	Switzerland	Switzerland
Purpose	Removes dirt, marks & smudges	Keeps cymbals pristine	Replenishes Anti-Oxidant Coating
Application	Cleansing agent for periodic use. Removes tougher stains and impurities. Restores shine.	Mild purifier for everyday use. Removes minor stains and impurities. Restores shine.	Supplements protective coating. Guards against discoloration and oxidation.
Compatibility	Not suitable for Gongs. See Compatibility Matrix for cymbals.	Not suitable for Gongs. See Compatibility Matrix for cymbals.	Not suitable for Gongs. Suitable for all Cymbals.
Preliminary Considerations	None	In case of tougher stains and impurities, use Paiste Cymbal Cleaner.	In case of existing stains and impurities, use Paiste Cymbal Cleaner or Maintainer first.
Use Instructions	<ol style="list-style-type: none"> Shake well before use. Use microfiber or clean/soft cloth. Spray a moderate amount evenly onto cymbal from a distance of about 30 cm / 12 inches. Wipe quickly using circular motion from inside to outside. Do not use force, especially on logos and labels. Remove any cleaner residue with slightly wet cloth and dry. 	<ol style="list-style-type: none"> Shake well before use. Use microfiber or clean/soft cloth. Spray a moderate amount evenly onto cymbal from a distance of about 30 cm / 12 inches. Wipe quickly using circular motion from inside to outside. 	<ol style="list-style-type: none"> Shake well before use. Use microfiber or clean/soft cloth. Spray a moderate amount evenly onto cymbal from a distance of about 30 cm / 12 inches. Wipe quickly using circular motion from inside to outside.
Safety Precautions & Recommendations	<ul style="list-style-type: none"> Use in well-ventilated room. Protective gloves and protective eye-wear recommended. 	<ul style="list-style-type: none"> Use in well-ventilated room. Protective gloves and protective eye-wear recommended. 	<ul style="list-style-type: none"> Use in well-ventilated room. Protective gloves and protective eye-wear recommended.
First Aid Measures	<p>Eye contact – rinse carefully with water for several minutes. Remove contact lenses if possible. If eye irritation persists, get medical advice/attention and have container at hand.</p> <p>Inhalation – seek fresh air and ensure unobstructed breathing.</p> <p>Skin contact – wash affected areas with plenty of water.</p> <p>Ingestion – in case of discomfort, contact local poison information center or get medical help.</p>	<p>Eye contact – rinse eyes with plenty of water.</p> <p>Inhalation – seek fresh air and ensure unobstructed breathing.</p> <p>Skin contact – wash affected areas with plenty of water.</p> <p>Ingestion – in case of discomfort, contact local poison information center or get medical help.</p>	<p>Eye contact – rinse eyes with plenty of water.</p> <p>Inhalation – seek fresh air and ensure unobstructed breathing.</p> <p>Skin contact – wash affected areas with plenty of water.</p> <p>Ingestion – in case of discomfort, contact local poison information center or get medical help.</p>
Content Disclosures	<p>CAS-No.: 97489-15-1 / $\geq 1 - < 5\%$ Sulphonic acids, C14-17-sec-alkane-, sodium salts</p> <p>CAS-No.: 9043-30-5 / $\geq 1 - < 5\%$ Isotridecylalkohol ethoxylated (3 EO)</p> <p>CAS-No.: 79-33-4 / $\geq 1 - < 5\%$ - l-(+)-Lactic acid</p> <p>CAS-No.: 3811-73-2 / $< 0.01\%$ Pyridine-2-thiol 1-oxide, sodium salt; pyriithione sodium; sodium pyriithione</p>	<p>CAS-No.: 2634-33-5 / $< 0.01\%$ 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one</p> <p>CAS-No.: 2682-20-4 / $< 0.01\%$ 2-methylisothiazol-3(2H)-one</p>	<p>CAS-No.: 68920-66-1 / $\geq 1 - < 5\%$ Alcohols C16-18 and C18-unsaturated, ethoxylated</p> <p>CAS-No.: 2634-33-5 / $< 0.01\%$ 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one</p>
Safety Data Sheet	Link PDF	Link PDF	Link PDF
Unique Formula Identifier (EU REGULATION 2017/542)	P9NR-P5WY-CHMN-XQ54	Not applicable	Not applicable

<p>Hazard or Precautionary Statements</p>	<p>Hazard Statement H319</p>  <p>WARNING: Causes serious eye irritation.</p>	<p>Precautionary Statement EUH208</p> <p>May produce an allergic reaction.</p>	<p>Precautionary Statement</p> <p>Can cause skin irritation.</p>
	<p>Precautionary Statement P102</p> <p>Keep out of reach of children.</p>	<p>Precautionary Statement P102</p> <p>Keep out of reach of children.</p>	<p>Precautionary Statement P102</p> <p>Keep out of reach of children.</p>
	<p>Precautionary Statement</p> <p>Do not ingest.</p>	<p>Precautionary Statement</p> <p>Do not ingest.</p>	<p>Precautionary Statement</p> <p>Do not ingest.</p>
	<p>Hazard Statement</p> <p>Avoid eye contact.</p>	<p>Precautionary Statement</p> <p>Avoid eye contact.</p>	<p>Precautionary Statement</p> <p>Avoid eye contact.</p>
	<p>Do not dispose of in waste/trash/garbage.</p>	<p>Do not dispose of in waste/trash/garbage.</p>	<p>Do not dispose of in waste/trash/garbage.</p>
<p>Recycling</p>	<p>Cap – Plastic</p>  <p>Please check your local guidelines for <u>Polypropylene</u> recycling</p> <p>Container - Aluminum</p>  <p>Please check your local guidelines for <u>Aluminum</u> recycling</p>	<p>Cap – Plastic</p>  <p>Please check your local guidelines for <u>Polypropylene</u> recycling</p> <p>Container - Aluminum</p>  <p>Please check your local guidelines for <u>Aluminum</u> recycling</p>	<p>Cap – Plastic</p>  <p>Please check your local guidelines for <u>Polypropylene</u> recycling</p> <p>Container - Aluminum</p>  <p>Please check your local guidelines for <u>Aluminum</u> recycling</p>

Compatibility Matrix Cymbals	Cymbal Maintainer	Cymbal Cleaner	Cymbal Protector
Anti-Oxidant Coating Signature (except Blue Bell Ride, Dry Heavy Ride, Duo Ride, Mega Cup Chime) Formula 602 Modern Essentials Formula 602 Classic Masters Extra Thin and Swish 2002 (except Giga Bell Ride, 2002 Wild, 2002 Big Beat) PST X (except colored models) PST 8 PST 7 PST 5 PST 3 201 Bronze 101 Brass	✓	✓	✓
Non Anti-Oxidant Coating CuSn20 series Masters	✗	✓	✓
Unlathed and partly lathed surfaces non Anti Oxidant Coating Masters Dry Ride, Extra Dry Ride, Crisp Ride	✗	✗	✗
Color Sound Color Sound 900 Signature Blue Bell Ride, Dry Heavy Ride 2002 Giga Bell Ride PST X DJs 45 Ride & Hi-Hat Bottom	✓	✗	✓
Unlathed and partly lathed surfaces feat. Anti Oxidant Coating Signature Dark Energy Signature Traditionals Signature Duo Ride, Mega Cup Chime RUDE	✓	✗	✓
Reflector Signature Reflector 2002 Wild models	✓	✗	✓
Special finishes 2002 Big Beat Giant Beat 900 Series	✓	✗	✓

Um Schlagzeugern eine grosse Bandbreite an Klängen – inklusive einiger spezieller, ausgefallener Sounds - für eine Vielfalt an musikalischen Stilen und Anwendungen zur Verfügung zu stellen, verwenden wir verschiedene Finishes, die sich wie folgt kategorisieren lassen:

Anti-Oxidant Coating – wir tragen auf den Grossteil unserer Modelle ein schützendes Finish auf zur Vermeidung von Oxidation auf. Dieses ist mit allen Paiste Pflegemitteln kompatibel.

Non Anti-Oxidant Coating CuSn20 series – Bei den meisten Modellen der Masters-Serie verzichten wir auf die Behandlung mit einer Schutzschicht, um einen Aged Look zu unterstützen. Die Anwendung von Cymbal Maintainer führt zu kaum sichtbaren Ergebnissen, Cymbal Protector verzögert die optische Alterung.

Color Sound – Farbige Cymbals sollten nur mit Cymbal Maintainer und Cymbal Protector gepflegt werden. Die Anwendung von Cymbal Cleaner kann zu Verfärbungen führen.

Unlathed and partly lathed surfaces – Ganz gleich, ob die Cymbals mit unserem Anti-Oxidant Coating behandelt wurden oder nicht - die Anwendung von Cymbal Cleaner kann zu Verfärbungen nicht abgedrehter oder teilweise abgedrehter Oberflächen führen. Bei der Masters-Serie sollten keine Pflegemittel angewendet werden, bei anderen Serien ist die Pflege mit Cymbal Maintainer und Cymbal Protector unbedenklich.

Reflector – Cymbals im hochglänzenden Reflector-Finish sollten nur mit Cymbal Maintainer und Cymbal Protector gepflegt werden. Die Anwendung von Cymbal Cleaner kann zu Verfärbungen führen.

Special finishes – Diese Kategorie fasst verschiedene Oberflächenbehandlungen zusammen, die nicht nur den spezifischen Klang einer Serie oder eines Modells beeinflussen, sondern dieser bzw. diesem eine prägnante Optik verleihen. Sie sollten nur mit Cymbal Maintainer und Cymbal Protector gepflegt werden. Die Anwendung von Cymbal Cleaner kann zu Verfärbungen führen.

Compatibility Matrix Cymbals of discontinued series and models	Cymbal Maintainer	Cymbal Cleaner	Cymbal Protector
Anti-Oxidant Coating Signature Precision Twenty Dimensions (except Dry Ride, Power models) Innovations Alpha (except Brilliant, Special Editions) Noise Works 802 502 402 302 Sound Formula (except Reflector) 3000 (except Reflector, RUDE) 2000 (except Sound Reflections, Color Sound) 1000 (except RUDE) 400 (except Color Sound) Sound Creation 505 404 101	✓	✓	✓
Non Anti-Oxidant Coating CuSn20 Series Twenty Masters Collection	✗	✓	✓
Color Sound Alpha Special Editions Visions 2000 Color Sound 400 Color Sound Color Sound 5	✓	✗	✓
Reflector Sound Formula Reflector 3000 Reflector 2000 Sound Reflections	✓	✗	✓
Unlathed and partly lathed surfaces Signature Dry Dark Ride, Dark Metal Ride Dimensions Dry Ride, Power models 3000 RUDE 1000 RUDE	✓	✗	✓
Special finishes Twenty Custom Collection Alpha Brilliant	✓	✗	✓