



Paiste Cleaner

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 3/7/2024 Revision date: 10/17/2025 Supersedes version of: 3/7/2024 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Paiste Cleaner
Product code : 02.09996.11.1-003 / 02.09996.28.1-001
Type of product : Detergent, Hard Surface Cleaners of all types (bathroom and kitchen cleansers, furniture polish, etc.)
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Intended for general public
Main use category : This product is intended for public and professional use.
Use of the substance/mixture : Cleaners for musical instruments
Function or use category : Cleaning/washing agents and additives

1.3. Details of the supplier of the safety data sheet

Distributor

Paiste AG
Kantonsstrasse 2
6207 Nottwil
Switzerland
T +41419393333, F +41419393366
info-pag@paiste.com, www.paiste.com

Distributor

Paiste GmbH & Co. KG
Gorch-Fock-Str. 13
24790 Schacht Audorf
Germany
T +49433194790
info-pag@paiste.com, www.paiste.com

Manufacturer

FRIKE AEROSOL AG
Obererlen 16
CH-8752 Näfels
Switzerland
T +41 55 618 40 10, F +41 55 618 40 20
sds@frike-group.com, www.frike-aerosol.com

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Switzerland	Tox Info Suisse	Freiestrasse 16 8032 Zürich	145	(from abroad: +41 44 251 51 51) non urgent inquiry: +41 44 251 66 66

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 H319
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes serious eye irritation.

Paiste Cleaner

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Warning

Hazard statements (CLP)

: H319 - Causes serious eye irritation.

Precautionary statements (CLP)

: P101 - If medical advice is needed, have product container or label at hand.
P102 - Keep out of reach of children.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Aluminumoxide substance with national workplace exposure limit(s) (AT, BE, DK, EE, ES, FR, GB, GR, HR, HU, IE, LV, NL, PL, RO, SK)	CAS-No.: 1344-28-1 EC-No.: 215-691-6 REACH-no: 01-2119529248-35	$\geq 5 - < 10$	Not classified
Sulphonic acids, C14-17-sec-alkane-, sodium salts	CAS-No.: 97489-15-1 EC-No.: 307-055-2 REACH-no: 01-2119489924-20	$\geq 1 - < 5$	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Eye Dam. 1, H318 Skin Irrit. 2, H315 Aquatic Chronic 3, H412
Isotridecylalkohol ethoxylated (3 EO)	CAS-No.: 9043-30-5 EC-No.: Polymer	$\geq 1 - < 5$	Eye Irrit. 2, H319 Aquatic Chronic 3, H412
L-(+)-Lactic acid	CAS-No.: 79-33-4 EC-No.: 201-196-2 REACH-no: 01-2119474164-39	$\geq 1 - < 5$	Skin Irrit. 2, H315 Eye Dam. 1, H318

Paiste Cleaner

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Pyridine-2-thiol 1-oxide, sodium salt; pyrrithione sodium; sodium pyrrithione substance with national workplace exposure limit(s) (AT, DE, DK, SI)	CAS-No.: 3811-73-2 EC-No.: 223-296-5 EC Index-No.: 613-344-00-7	< 0.01	Acute Tox. 3 (Inhalation:dust,mist), H331 (ATE=0.5 mg/l) Acute Tox. 3 (Dermal), H311 (ATE=790 mg/kg bodyweight) Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) STOT RE 1, H372 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 2, H411 EUH070

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
Sulphonic acids, C14-17-sec-alkane-, sodium salts	CAS-No.: 97489-15-1 EC-No.: 307-055-2 REACH-no: 01-2119489924-20	(10 < C ≤ 15) Eye Irrit. 2; H319 (10 < C < 100) Skin Irrit. 2; H315 (15 < C < 100) Eye Dam. 1; H318 (60 < C < 100) Acute Tox. 4 (Oral); H302

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact	: Eye irritation.
------------------------------------	-------------------

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Strong water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

Paiste Cleaner

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Switzerland

Storage class (LK) : LK 10/12 - Liquids

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Pyridine-2-thiol 1-oxide, sodium salt; pyrithione sodium; sodium pyrithione (3811-73-2)

Switzerland - Occupational Exposure Limits

Local name	Pyrithion, sel sodique de / Natriumpyrithion
MAK (OEL TWA)	0.2 mg/m ³ (i) / (e)
KZGW (OEL STEL)	0.4 mg/m ³ (i) / (e)
Notation	R, SS _c / H, SS _c
Regulatory reference	www.suva.ch, 18.06.2025

Paiste Cleaner

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Aluminumoxide (1344-28-1)	
Switzerland - Occupational Exposure Limits	
Local name	Aluminium oxyde / Aluminiumoxid [Korund]
MAK (OEL TWA)	3 mg/m ³ (a) / (a)
Notation	B / B
Remark	NIOSH
Regulatory reference	www.suva.ch, 18.06.2025
Switzerland - BAT	
Local name	Aluminium oxyde / Aluminiumoxid
BAT	50 µg/g creatinine (0.21 µmol/mmol cr.; Paramètre biologique: Aluminium; Substrat d'examen: Urine; Moment du prélèvement: Exposition de longue durée: après plusieurs périodes de travail.) / (0.21 µmol/mmol cr.; Biologischer Parameter: Aluminium; Untersuchungsmaterial: Urin; Probennahmezeitpunkt: Bei Langzeitexposition: nach mehreren vorangegangenen Schichten.)
Regulatory reference	Ordonnance 832.30 (OPA), article 50 al. 3, www.suva.ch/valeurs-limites / Verordnung 832.30 (VUV), Art. 50 Abs. 3, www.suva.ch/grenzwerte

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Chemical goggles or safety glasses

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

In case of repeated or prolonged contact wear gloves. Since the product consists of several substances, the durability of the glove material cannot be estimated and needs to be tested before use. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Time of penetration is to be checked with the glove producer

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Chemically resistant protective gloves	Nitrile rubber	6 (> 480 minutes)	0.11	3 (> 0.65)	EN ISO 374
Chemically resistant protective gloves	Butyl rubber	6 (> 480 minutes)	0.47	3 (> 0.65)	EN ISO 374

Respiratory protection

Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

Paiste Cleaner

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: White (Milk-like).
Appearance	: Turbid. Viscous liquid.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong oxidizing agent. Strong bases. Strong acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Paiste Cleaner

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

Pyridine-2-thiol 1-oxide, sodium salt; pyrithione sodium; sodium pyrithione (3811-73-2)

LD50 oral rat	1208 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: EU Method B.1 (Acute Toxicity (Oral))
LC50 Inhalation - Rat	1.08 mg/l air Animal: rat, Guideline: EPA OPP 81-3 (Acute inhalation toxicity), Guideline: EU Method B.2 (Acute Toxicity (Inhalation))
ATE CLP (oral)	500 mg/kg bodyweight
ATE CLP (dermal)	790 mg/kg bodyweight
ATE CLP (dust,mist)	0.5 mg/l

Aluminumoxide (1344-28-1)

LD50 oral	> 10000 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	> 2300 mg/l
ATE CLP (dust,mist)	7600 mg/m³

Sulphonic acids, C14-17-sec-alkane-, sodium salts (97489-15-1)

LD50 oral	> 500 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight
ATE CLP (oral)	500 mg/kg bodyweight

l-(+)-Lactic acid (79-33-4)

LD50 oral	3730 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	> 7940 mg/l

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)

Isotridecylalkohol ethoxylated (3 EO) (9043-30-5)

pH	≈ 6 100 g/L
----	-------------

Serious eye damage/irritation : Causes serious eye irritation.

Isotridecylalkohol ethoxylated (3 EO) (9043-30-5)

pH	≈ 6 100 g/L
----	-------------

Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

Pyridine-2-thiol 1-oxide, sodium salt; pyrithione sodium; sodium pyrithione (3811-73-2)

LOAEL (animal/male, F0/P)	2.8 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)
LOAEL (animal/female, F0/P)	1.4 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)
LOAEL (animal/male, F1)	2.8 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)

Paiste Cleaner

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Pyridine-2-thiol 1-oxide, sodium salt; pyrrithione sodium; sodium pyrrithione (3811-73-2)	
LOAEL (animal/female, F1)	1.4 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)
NOAEL (animal/male, F0/P)	1.4 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)
NOAEL (animal/female, F0/P)	0.7 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)
NOAEL (animal/male, F1)	1.4 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)
NOAEL (animal/female, F1)	0.7 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)

Aluminumoxide (1344-28-1)	
NOAEL (animal/male, F0/P)	1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

Pyridine-2-thiol 1-oxide, sodium salt; pyrrithione sodium; sodium pyrrithione (3811-73-2)	
LOAEL (oral, rat, 90 days)	1.5 mg/kg bodyweight Animal: rat, Guideline: other:
NOAEL (oral, rat, 90 days)	0.5 mg/kg bodyweight Animal: rat, Guideline: other:
STOT-repeated exposure	Causes damage to organs (nervous system) through prolonged or repeated exposure.

Aluminumoxide (1344-28-1)	
LOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.015 mg/l air Animal: rat, Guideline: OECD Guideline 452 (Chronic Toxicity Studies)
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.07 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

Pyridine-2-thiol 1-oxide, sodium salt; pyrrithione sodium; sodium pyrrithione (3811-73-2)	
Viscosity, kinematic	6687 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term (chronic) : Not classified (Based on available data, the classification criteria are not met)

Pyridine-2-thiol 1-oxide, sodium salt; pyrrithione sodium; sodium pyrrithione (3811-73-2)	
LC50 - Fish [1]	0.00767 mg/l Brachydanio rerio (OECD 203)
EC50 - Crustacea [1]	0.022 mg/l Daphnia magna (OECD 202)
EC50 72h - Algae [1]	0.46 mg/l Selenastrum capricornutum (OECD 201)
NOEC chronic algae	0.08 mg/l Selenastrum capricornutum (OECD 201)

Paiste Cleaner

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Aluminumoxide (1344-28-1)	
EC50 72h - Algae [1]	1.05 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.2 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

Sulphonic acids, C14-17-sec-alkane-, sodium salts (97489-15-1)	
LC50 - Fish [1]	> 1 mg/l
EC50 - Other aquatic organisms [1]	9.81 mg/l waterflea
EC50 - Other aquatic organisms [2]	> 61 mg/l

l-(+)-Lactic acid (79-33-4)	
LC50 - Fish [1]	195 mg/l
EC50 - Other aquatic organisms [1]	130 mg/l waterflea
EC50 - Other aquatic organisms [2]	> 2800 mg/l

12.2. Persistence and degradability

Paiste Cleaner	
Persistence and degradability	Rapidly degradable

Pyridine-2-thiol 1-oxide, sodium salt; pyrrithione sodium; sodium pyrrithione (3811-73-2)	
Persistence and degradability	Rapidly degradable
Biodegradation	> 70 % OECD 301 D CO2-Evolution (Active Sludge)

Isotridecylalcohol ethoxylated (3 EO) (9043-30-5)	
Persistence and degradability	Rapidly degradable

Aluminumoxide (1344-28-1)	
Persistence and degradability	Rapidly degradable

Sulphonic acids, C14-17-sec-alkane-, sodium salts (97489-15-1)	
Persistence and degradability	Rapidly degradable

l-(+)-Lactic acid (79-33-4)	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

Pyridine-2-thiol 1-oxide, sodium salt; pyrrithione sodium; sodium pyrrithione (3811-73-2)	
Partition coefficient n-octanol/water (Log Pow)	< -1.09 OECD 107 LogKow (Shake Flask Method)

l-(+)-Lactic acid (79-33-4)	
Partition coefficient n-octanol/water (Log Pow)	-0.62

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

Paiste Cleaner

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Switzerland

Waste disposal recommendations : Disposal according to the 'Ordinance on the avoidance and disposal of waste' (VVEA, Waste Ordinance, SR 814.600), the 'Ordinance on the movement of waste' (VeVA, SR 814.610) and the 'UVEK Ordinance on Lists for the Movement of Waste' (LVA, SR 814.610.1).

Waste code (VeVA) : 16 03 05 - [S] Organic wastes containing dangerous substances

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

Paiste Cleaner

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items: Aluminium oxide (1344-28-1).

Detergent Regulation (EC 648/2004)

Labelling of contents	
Component	%
non-ionic surfactants, anionic surfactants	<5%
BENZISOTHIAZOLINONE	
SODIUM PYRITHIONE	

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

National regulations

France

Switzerland

Swiss National Regulations

: Chemicals Ordinance (ChemO, SR 813.11).
Chemical Risk Reduction Ordinance (SR 814.81).
Disposal according to the 'Ordinance on the avoidance and disposal of waste' (VVEA, Waste Ordinance, SR 814.600), the 'Ordinance on the movement of waste' (VeVA, SR 814.610) and the 'UVEK Ordinance on Lists for the Movement of Waste' (LVA, SR 814.610.1).
Environmental Protection Act, EPA (SR 814.01).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Paiste Cleaner

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 16: Other information

Indication of changes		
Section	Changed item	Comments
1.1	Product code	Modified

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH070	Toxic by eye contact.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Eye Irrit. 2	H319	Calculation method

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.